


STDs in Persons Entering Corrections Facilities

Sexually Transmitted Disease Surveillance 1998

Division of STD Prevention

Syphilis serologic tests - Percent seroreactivity in women entering city or county jails†, 1998




†From facilities reporting >100 test results.

NOTE: Data from Tennessee is from June 1998 only.

SOURCE: Local and State STD Control Programs; Regional Infertility Prevention Programs; Centers for Disease Control and Prevention

Syphilis serologic tests - Percent seroreactivity in men entering city or county jails†, 1998




†From facilities reporting >100 test results.

NOTE: Data from Tennessee is from June 1998 only.

SOURCE: Local and State STD Control Programs; Regional Infertility Prevention Programs; Centers for Disease Control and Prevention


Chlamydia - Positivity in women entering juvenile and adult corrections facilities†, 1998



†From facilities reporting >100 test results.

SOURCE: Local and State STD Control Programs; Regional Infertility Prevention Programs; Centers for Disease Control and Prevention


Chlamydia - Positivity in men entering juvenile and adult corrections facilities†, 1998



†From facilities reporting >100 test results.

SOURCE: Local and State STD Control Programs; Regional Infertility Prevention Programs; Centers for Disease Control and Prevention

Gonorrhea - Positivity in women entering juvenile and adult corrections facilities†, 1998



†From facilities reporting >100 test results.

SOURCE: Local and State STD Control Programs; Regional Infertility Prevention Programs; Centers for Disease Control and Prevention